


POCQI: Point of Care Quality Improvement

Learner Manual













Improving the Quality of Care for Mothers and Newborns in Health Facilities

POCQI: Point of Care Quality Improvement

Learner Manual

Four simple steps to practice quality improvement at health facility level











WHO Library Cataloguing-in-Publication data

World Health Organization, Regional Office for South-East Asia.

Improving the quality of hospital care for mothers and newborns: learner manual.

1. Hospitals. 2. Maternal Health. 3. Infant, Newborn

ISBN 978-92-9022-547-8 (NLM classification: WX 18)

World Health Organization 2017 All rights reserved

Requests for publications, or for permission to reproduce or translate WHO publications – whether for sale or for noncommercial distribution – can be obtained from SEARO Library, World Health Organization, Regional Office for South-East Asia, Indraprastha Estate, Mahatma Gandhi Marg, New Delhi 110 002, India (fax: +91 11 23370197; e-mail: searolibrary@who.int).

The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of the World Health Organization, concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by the World Health Organization in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use.

This publication does not necessarily represent the decisions or policies of the World Health Organization.

Printed in India



Acknowledgement

The Point of Care Quality Improvement package for improving the quality of care for mothers and newborns in health facilities has been prepared jointly by the South East Asia Regional Office of World Health Organization (WHO-SEARO), WHO Collaborating Center for Newborn, All India Institute of Medical Sciences (AIIMS) New Delhi and the United States Agency of International Development – Applying Science to Strengthen and Improve Systems Project (USAID ASSIST).

The main contribution to developing the package is from Ashok Deorari, Rajesh Mehta, Nigel Livesley and assistance is sincerely acknowledged from: Neena Raina (WHO-SEARO), Anu Sachdeva and Meena Joshi, Aparna Sharma, Seema Singhal, Parijat Chandra (AIIMS, New Delhi) and Praveen K. Sharma, Ankur Sooden, Sonali Vaid (URC¹).

Collaboration from partner agencies UNICEF-ROSA and EAPRO, UNFPA-APRO and USAID in promoting quality of care in the Region and development of this package is greatly appreciated.

Of the many approaches to QI, resource materials from the following helped to conceptualize the need to create a simplified tool for learning the basics of QI at the point of care in health facilities. These include:

- USAID Applying Science to Strengthen and Improve Systems (ASSIST) Project. Bethesda, MD: University Research Co., LLC (URC): (1) Massoud MR, Ottosson A, Nsubuga-Nyombi T, Karamagi E, Stern A, Ismail A, Boguslavsky V, Livesley N, Faramand T, Holtemeyer J. 2016. Improving Health Care. *Training Participant Guide*; (2) Massoud MR, Ottosson A, Nsubuga-Nyombi T, Karamagi-Nkolo E, Stern A, Ismail A.2015. Improving Health Care. Case Study: Nutrition Assessment Counseling and Support (NACS); (3) Singh R, Singh M, Jha R, Sharma P, Livesley N. 2016. Improving Quality in Healthcare: A practical guide for health care providers. Technical Report. Published by the USAID ASSIST Project.
- Bose C, Hermida J. Eds. 2016. Improving care of mothers and babies: a guide for improvement teams. 2016. American Academy of Pediatrics and University Research Co., LLC. http:// internationalresources.aap.org/Resource/ShowFile?documentName=Improving%20Care%20of%20 Mothers%20and%20Babies_Asia%20Version_Eng.%202016.pdf
- Materials developed by the Institute for Healthcare Improvement (http://www.ihi.org/Pages/default.aspx)
- Evidence based practice for improving quality (http://www.epiq.ca)

The POCQI package has been field tested in several settings in the countries of the Region, India (New Delhi, Kangra and Kolkata), Bhutan, Bangladesh and Maldives. The opportunity to field test the package and inputs received from participants and facilitators are gratefully acknowledged.

^{&#}x27;Nigel Livesley, Praveen K. Sharma, Ankur Sooden, and Sonali Vaid work for University Research Co., LLC (URC) under the USAID ASSIST Project, which is funded by the American people through USAID's Bureau for Global Health, Office of Health Systems. The project is managed by URC under the terms of Cooperative Agreement Number AID-OAA-A-12-00101. URC's global partners for USAID ASSIST include: EnCompass LLC; FHI 360; Harvard T. H. Chan School of Public Health; HEALTHQUAL International; Initiatives Inc.; Institute for Healthcare Improvement; Johns Hopkins Center for Communication Programs; and WI-HER, LLC.



Learner Manual

Layout

Section 1. Participant Handout

Section 2. Participant Slide Notes

Section 3. QI Project Template and Review Sheet

Section 4. Plan of action

Section 5. Successful case studies on QI



Table of Contents

| Section 1: Participant Handout | 1 |
|------------------------------------------------------------------------------|----|
| Case Scenario Part 1 | 2 |
| Step 1: Identifying the Problem, Forming a Team and Writing an Aim Statement | 4 |
| Step 1: Learning objectives | 4 |
| Discussion 1.1: Identifying the problem | 4 |
| Case Scenario Part 2 | 5 |
| Discussion 1.2: Prioritizing the problems | 5 |
| Discussion 1.3: Forming a team | 6 |
| Discussion 1.4: Writing an aim statement | 6 |
| Step 2: Analysing the Problem and Measuring Quality of Care | 8 |
| Step 2: Learning objectives | 8 |
| Case Scenario Part 3 | 8 |
| Discussion 2.1: Analysing a flowchart | 9 |
| Discussion 2.2 Analysing a fishbone diagram | 10 |
| Case Scenario Part 4 | 10 |
| Discussion 2.3: Developing indicators | 10 |
| Case Scenario Part 5 | 11 |
| Discussion 2.4 Plotting data over time | 11 |
| Step 3: Developing and Testing Changes | 13 |
| Step 3: Learning objectives | 13 |
| Section A: Maternal Health Scenario | 13 |
| Case Scenario Part 6 | 13 |
| Discussion 3.1: Improving uterotonic administration-change ideas | 13 |
| Case Scenario Part 7 | |
| Discussion 3.2: Testing changes to see if they are practical | |
| Case Scenario Part 8 | |
| Discussion 3.3: What to do as you learn from PDSA cycle | |
| Case Scenario Part 0 | 16 |



| Discussion 3.4: Testing changes | 16 |
|--------------------------------------------------------------|----|
| Section B: Newborn Health Scenario | 17 |
| Section 2: Newborn Health Scenario | 17 |
| Case Scenario Part 6 | 17 |
| Discussion 3.1: Developing changes | 17 |
| Case Scenario Part 7 | |
| Discussion 3.2: Testing changes to see if they are practical | 19 |
| Case Scenario Part 8 | 19 |
| Discussion 3.3: What to do as you learn from PDSA cycle | 20 |
| Case Scenario Part 9 | 20 |
| Discussion 3.4: Testing changes | 20 |
| Case Scenario Summary | 21 |
| Step 4 – Sustaining Improvement | 24 |
| Step 4: Learning objectives | 24 |
| Section 2: Participant Slide Notes | 25 |
| Section 3: QI Project Template & Review Sheet | 57 |
| Quality Improvement Project Review Sheet | 62 |
| Section 4: Plan of Action | 65 |
| Plan of action for the team | 66 |
| Knowledge Assessment | 67 |
| Section 5: Successful case studies on QI | 75 |



Figures:

| Figure 1: | Hospital Birth Register | . 3 |
|-----------|-----------------------------------------------------------------------------------------------|-----|
| Figure 2: | Newborn Care Flowchart | . 8 |
| Figure 3: | Maternal Care Flowchart. | . 9 |
| Figure 4: | Maternal Care Fishbone | 10 |
| Figure 5: | Maternal Health Data | 12 |
| Figure 6: | Percentage of women receiving a uterotonic within one minute and women | 23 |
| Figure 7: | Annotations show the relationship between various PDSA cycles andimprovement in the indicator | 24 |
| Figure 8: | Percentage of babies with hypothermia and percentage of babies receivingskin-to-skin care | 24 |





Case Scenario Part 1

You work at a district hospital in which around 2000 babies are born annually.

A single nurse at a time works in the labour room where she provides routine delivery care, basic emergency obstetric care and postnatal care for mothers and babies.

A nurse in-charge oversees operations, including ordering supplies.

There is also a pharmacist on site.

A doctor manages the labour ward and is available for emergencies but because they have no blood bank and limited facilities, most emergencies are referred.

Mothers and babies are kept together after birth and are typically discharged after 24-48 hours.

The staff work hard but they think that the care they provide is not as good as it could be.

They decide to look at the data in their labour room and newborn register to identify some problems that they can fix.

The registers have information about both processes of care and outcomes

Processes are activities that health workers carry out and outcomes are the end result of those activities.

The team looks at how well they are carrying out important processes of care and if they are getting the outcomes that they want for their patients.

Information on care at birth is collected from the records as shown in the Hospital Birth Register (Figure 1).



Figure 1: Hospital Birth Register

| Discharge (Home, Died Referred) | Home | Home | Home | Home | Home | Referred, PPH | Home | Home | Referred, PPH | Home |
|------------------------------------------|-------|-------|-------|--------|-------|------------------|-------|-------|------------------|-------|
| Discharge Date (DD/MM) | 16.06 | 17.06 | 16.06 | 17.06 | 17.06 | 18.06 | 19.06 | 19.06 | 23.06 | 24.06 |
| Delayed cord clamping | > | ٨ | | ٨ | 7 | 7 | | > | 7 | ァ |
| Immediate drying | 7 | | | 7 | 7 | | 7 | 7 | 7 | 7 |
| Temp °C at 1 hour | 35.4 | 34.5 | 35.2 | 36.8 | 37.1 | 34.9 | 36.8 | 37.1 | 35.8 | 37.4 |
| Birth Wt (grams) | 3400 | 2460 | 2350 | 3310 | 2670 | 2740 | 2851 | 2780 | 2618 | 2651 |
| Apgar 1 min, 5 min | 8,9 | 7,8 | 8,9 | 8,9 | 8,9 | 5,7 | 8,9 | 8,9 | 8,9 | 6,6 |
| Uterotonic given in 1st minute | 7 | | | ٨ | | | ٨ | 7 | | 7 |
| Delivery | Vag | C/S | Vag | Vag | Vag | Vag | Vag | Vag | Vag | Vag |
| Time of birth (24 hr) | 00.45 | 06.30 | 14.30 | 09.20 | 17.50 | 02.42 | 08.16 | 12.25 | 18.20 | 22.10 |
| Date of birth (DD/MM) | 15.06 | 15.06 | 15.06 | 16.06 | 16.06 | 17.06 | 18.06 | 18.06 | 19.06 | 19.06 |
| Name B/O | Gini | Meenu | Geeta | Ranchu | Tina | Puja | Kiran | Meera | Saroj | Kirti |
| | 1 | 2 | 3 | 4 | 5 | 9 | | ∞ | 6 | 10 |

Note: Vag: vaginal, C/S: Lower segment caesarean section, PPH: postpartum haemorrhage.



STEP: 1

Identifying the problem, forming a team and writing an aim statement

Step 1: Learning objectives:

- 1) How to review data to identify problems
- 2) How to prioritize which problem to work on
- 3) How to form a team to work on that problem
- 4) How to write a clear aim statement

Discussion 1: Identifying the problem

What are the different "processes of care" and "outcomes of care" listed in the Hospital Birth Register (Figure 1)?

| Processes of care | Outcomes of care | | |
|-------------------|------------------|--|--|
| | | | |
| | | | |
| | | | |

Calculate the percent performance of three processes of care

| Process of care | Performance |
|-----------------|-------------|
| 1. | |
| | |
| 2. | |
| | |
| 3. | |
| | |

Calculate the percent performance of two outcomes of care

| Outcome of care | Performance |
|-----------------|-------------|
| 1. | |
| | |
| 2. | |
| | |



Case Scenario Part 2

The staff in the facility identify a number of problems with the care that they are providing.

They realize that they are not giving all women a uterotonic (Inj Oxytocin) within one minute and that women are suffering from post-partum hemorrhage (PPH).

They also realize that 20% of babies are born at low weight, that many are not dried quickly and are having their cord clamped early and that many are cold at one hour after delivery. (Hypothermia is temperature < 36.5C)

They decide that they cannot fix everything at once so decide to prioritize one or two projects to work on. They ask for advice on filling in a prioritization matrix.

Discussion 1.2: Prioritizing the problems

Fill out the **prioritization matrix**. Based on your experience in your facility, assign points from to 1 to 5 for each factor (process or outcome):

- Important to patients how important is each aspect of care for better patient outcomes? 1 is not important (lowest score), 5 is vitally important (highest score).
- Affordable in terms of time and resources how easy do you think it will be to fix this problem? 1 is not affordable (it will take a lot of time or resources), 5 is very affordable.
- Easy to measure how easy will it be to measure the problem you are trying to fix? 1 is very difficult, 5 is very easy.
- Under the control of team members will people in the unit be able to fix this themselves? 1 is not at all under the control of the team members, 5 is entirely under the control of the team members.

| Possible aim | Important to patient outcomes (1-5) | Affordable in terms of time and resources (1-5) | Easy to measure (1-5) | Under control of team members (1-5) | Total score (4-20) |
|-------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------|-----------------------------|-------------------------------------------------|--------------------------|
| Uterotonic given within 1 min | | | | | |
| Management of PPH | | | | | |
| Immediate drying of the body | | | | | |
| Delayed cord clamping | | | | | |
| Decrease in low temperature at 1 hr <36.5 degree C | | | | | |
| Decrease in low birth weight <2500 grams | | | | | |



| Choose the gap in quality that you think the team should improve: | | |
|-------------------------------------------------------------------|--------------------------------------------------------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Discussion 1.3: Forming a Team | | |
| Discuss how you would organize a team to improve of | care of mothers and babies in this facility. Determine | |
| how many people should be on the team, and who the | he members might be. Consider the roles of members | |
| on the team. Choose and describe an ideal team lead | er. | |
| Team members | Roles | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Team leader | Characteristics of a good team leader? | |
| | | |
| | | |
| | | |
| | | |



Discussion 1.4: Writing an aim statement

SMART stands for: Specific, Measurable, Achievable, Relevant, Timely

Aim statements answer the questions what, who, how much and by when.

- "What" describes the outcome or process that needs improvement
- "Who" describes the patient group that will be affected
- "How much" describes the change from baseline to the desired result
- "By when" describes by when you plan to achieve your desired goal

The aim statement should follow the structure:

We aim to (what do you want to achieve) in (which patient group) from (what is the current performance) to (what is the desired level of performance) by (how long).

Write an aim statement related to the quality gap that you think is most important.

| We aim to | |
|-----------|--|
| In | |
| from to | |
| by | |



STEP: 2

Analysing the problem and measuring quality of care

Step 2: Learning objectives:

- 1) Tools for understanding processes and systems and how to use them
- 2) How using these tools can help identify possible solutions to reach your aim
- 3) How to choose indicators for process and outcome
- 4) How to use these indicators to track progress of improvement

Case Scenario Part 3:


The team decides that they want to fix two problems and develop two aim statements.

- Neonatal health:
 - We will reduce the percentage of newborns with low temperature (<36.5°C) at one hour after delivery from 50% to 10% within 6 weeks.
- Maternal health:
 - We will increase the percentage of women receiving a uterotonic within one minute after vaginal delivery from 50% to 100% within 4 weeks.

Analysis - Reducing neonatal hypothermia:

The team is not sure why so many babies are getting cold so they decide to use a process flowchart to describe all actions to care for the babies and see if they can identify what is making the babies cold.

Figure 2: Newborn Care Flowchart





Discussion 2.1: Analysing a flowchart

Based on the Newborn Care Flowchart (Figure 2), what do you think could be some of the problems contributing to babies getting cold?



Analysis - Improving uterotonic administration:

The team also develops a process flowchart for maternal care at the time of delivery (Figure 3) and decides to focus on ensuring that all women receive auterotonic within one minute of delivery to prevent post-partum hemorrhage. They then use a fishbone diagram to identify problems with providing a uterotonic in the first minute after delivery.

Figure 3: Maternal Care Flowchart







Figure 4: Maternal Care Fishbone



Discussion 2.2: Analysing a fishbone diagram

Based on the Maternal Fishbone Diagram (Figure 4) what do you think could be some of the problems contributing to women not receiving a uterotonic after delivery?



Case Scenario Part 4:

The team to discuss what indicators they will use to measure their progress.

Discussion 2.3: Developing indicators

What would you advise about the indicators to monitor progress?

Write an outcome measure for the project to reduce neonatal hypothermia and one process and one outcome measure for the project to improve administration of a uterotonic in the first minute after delivery.



Reducing neonatal hypothermia:

| Outcome measure: | |
|---------------------|-------------------|
| Numerator | |
| Denominator | |
| Data source | |
| Person responsible | |
| How frequently | |
| Improving uterotoni | c administration: |
| Process measure: | |
| Numerator | |
| Denominator | |
| Data source | |
| Person responsible | |
| How frequently | |
| | |
| Outcome measure: | |
| Numerator | |
| Denominator | |
| Data source | |
| Person responsible | |
| How frequently | |

Case Scenario Part 5:

The team looks at the data on the percentage of women who received a uterotonic within one minute of delivery and the percentage of women who had a post-partum hemorrhage each month for the past 16 weeks. They then plot the data on a graph to make it easier to review.

Discussion 2.4: Plotting data over time

Use the flipchart to draw two time-series charts from the Maternal Health Data (Figure 5).



Figure 5: Maternal Health Data

| Indicator We | Sa I ai | Vome tocin Denominator | oxy Dercent | Numerator | Wome Vich PI | Percent |
|--------------------------------------------------|------------|------------------------------|----------------|-----------|--------------|-----------|
| $\begin{bmatrix} \text{Week} \\ 1 \end{bmatrix}$ | 4 | 34 | 12% | 5 | 34 | 15 % 1 |
| Week 2 | 3 | 42 | %2 | 7 | 42 | 18 % 15 % |
| Week 3 | 9 | 47 | 13% | 7 | 47 | 2 % |
| Week 4 | 5 | 37 | 14% | 4 | 37 | 11% |
| Week 5 | 8 | 42 | 19% | 5 | 42 | 12% |
| Week 6 | 15 | 40 | 38% | 4 | 40 | 10% |
| Week 7 | 34 | 50 | %89 | 5 | 50 | 10% |
| Week 8 | 36 | 41 | %88 | 3 | 41 | %/ |
| Week 9 | 33 | 36 | 92% | 3 | 36 | %8 |
| Week 10 | 40 | 45 | %68 | 4 | 45 | %6 |
| Week 11 | 32 | 33 | %26 | 2 | 33 | %9 |
| Week 12 | 34 | 36 | 94% | 2 | 36 | %9 |
| Week 13 | 40 | 43 | 93% | 3 | 43 | %/ |
| Week 14 | 41 | 42 | %86 | 3 | 42 | %2 |
| Week 15 | 36 | 37 | %26 | 2 | 37 | 2% |
| Week 16 | 34 | 35 | %26 | 2 | 35 | %9 |



STEP: 3

Developing and testing changes

Step 3: Learning objectives:

- 1) How to develop ideas about what to change to reach your aim
- 2) How to test these changes using Plan-Do-Study-Act (PDSA) cycles

Step 3 has two sections – one for maternal health (Section A) and one for newborn health (Section B). Each group should choose which scenario they want to focus on. If time permits, the group can do the other one as well.

Section A: Maternal Health Scenario

Case Scenario Part 6:

Review the flowcharts and fishbone diagrams to have a better understanding of what was causing them to deliver suboptimal care. This helps to come up with some ideas about changes to make that could help to provide uterotonic in time.

Discussion 3.1: Improving uterotonic administration - change ideas.

| Change | Why do you think this will improve care? |
|--------|------------------------------------------|
| | |
| | |
| | |
| | |

Case Scenario Part 7:

The team discusses that they should try to make sure there is a pre-loaded syringe of oxytocin available at the labour table for each delivery. They discuss some of the challenges with this:

- 1. Who will prepare the syringe?
- 2. When should it be prepared?
- 3. Where will it be kept after preparation?
- 4. Where will it be kept during delivery?



The nurses on the team say that they can prepare the syringe. One of them thinks it will be easiest to prepare the syringe when a new woman comes in labour to the labour room and the other one thinks that they should prepare a few syringes at the start of each new shift. Because the facility does not have a fridge in the labour room, both nurses decide to keep the syringes on a cold pack. The team discusses that both ideas seem reasonable and that there are pros and cons to both of these options.

| | Pre-load one syringe when woman comes into the labour room | Pre-load a few syringes at the start of each shift |
|------|--------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| Pros | There will be no waste of oxytocin You will not run out of oxytocin | There will always be enough time to do this |
| Cons | Some women are already pushing when they arrive so there will be no time | We may under-or over-estimate the need for oxytocin and end up wasting it or running out |

Discussion 3.2: Testing changes to see if they are practical

How would you advise the team to use PDSA cycles to learn which is the best time to preload the syringe of oxytocin?

| | What change will you make? | |
|-------|-------------------------------------------|--|
| Plan | Who will make the change? | |
| | Where will this take place? | |
| | For how long will the change be tested? | |
| Do | | |
| Study | What do you want to learn from this test? | |
| Act | | |



Case Scenario Part 8:

The team agrees that the two nurses should try their own preferred method during their next shift and to learn:

- Whether there is enough time to do this when a woman comes into the delivery room.
- If they preload at the start of a shift, do they run out or waste oxytocin.
- In both cases, where should they keep the pre-loaded syringe after preparation and during delivery?

The two nurses work in different shifts and test their preferred method the next time they work. The nurse who is testing pre-loading one syringe when the mother comes into the labour room delivers three babies. The nurse who is testing pre-loading multiple syringes at the start of the shift delivers two babies.

From this test, the team learned that:

What should the team do next?

- Preloading one syringe when women come into the delivery room
 - This worked well for two of the deliveries but one woman came into the delivery room in advanced labour and there was no time to draw up the syringe.
- Preloading multiple syringes at the start of the shift
 - The nurse who wanted to try this method remembered that the most babies she had ever delivered in a shift were five. So, she pre-loaded five syringes and kept them on an ice pack in the emergency tray kept at the side of the labour table.
 - This system worked well although the tray was rather crowded with five syringes.
 - At the end of the shift, she told the next nurse about the three pre-loaded syringes and suggested use the same method and preload two more syringes (to keep five available). The other nurse did not want to because there were no more cold packs.

Discussion 3.3: What to do as you learn from PDSA cycle

| I | |
|---|--|
| ı | |
| ı | |
| ı | |
| ı | |
| ı | |
| ı | |
| ı | |
| ı | |
| ı | |
| | |
| ı | |
| ı | |
| ı | |
| ı | |
| ı | |
| ı | |
| ı | |
| | |
| ı | |
| ı | |
| ı | |
| ı | |
| ı | |
| ١ | |
| ı | |



Case Scenario Part 9:

The team agrees that preloading syringes at the start of the shift is a good idea but realizes they still have some details to work out:

- How many syringes to preload at the start of the shift?
- What to do with the leftover syringes at the end of the shift?
- How to make sure there are enough cold packs?

The team decides:

- 1. that five pre-loaded syringes are too many and that three will be enough as it is rare to have more than three deliveries.
- 2. to keep the unused syringes for the next shift and that the incoming nurse will pre-load more to bring the total to three.
- 3. to get an extra cold pack from the pharmacist and to always keep one in the freezer so that there is always one available.

They decide to test these changes for the next shift. During that shift, two babies were born and the system worked well.

At the end of the shift, the incoming nurse wanted to throw out the pre-loaded syringe because she thought it would get mixed up with the syringes she was going to pre-load.

Instead, the two nurses decided that they would add the date and time to the syringe label when it was drawn up so that the nurse would know which one to use first. In the next shift, four babies were born.

After the third baby was born, the nurse pre-loaded three more syringes to keep the total at three syringes.

The team met again to discuss what they had learned from these changes and PDSA.

The team decides that:

- 1. they would add the date and time to the syringe label when it was drawn up so that the nurse would know which one to use first
- 2. after the third baby was born in any shift, the nurse would pre-load three more syringes in her shift to keep the total at three preloaded syringes

Discussion 3.4: Testing changes

| How many changes has the team tested so far? | |
|----------------------------------------------|--|
| | |
| | |
| | |
| | |
| | |



| How many PDSA cycles have they done? | | | |
|--------------------------------------|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |

The team decided to ask the nurses on duty for the next three shifts to get their feedback on this new approach and their suggestions for improvement.

At the end of the three shifts, they decide that this approach is feasible.

Eight babies were born during those shifts. All of them got oxytocin in the first minute after delivery. This is much better than the baseline data.

They then hold a series of meetings for other labour room staff who have not been involved in the project to discuss the new way of working, showing them how to pre-fill the syringes in advance and sharing the data showing improvement.

Other staff start administering oxytocin in a timely manner as well.

Section B: Newborn Health Scenario

Case Scenario Part 6:

Reducing neonatal hypothermia

The team realizes that they are providing care in the bassinet rather than following the evidence-based practice of starting skin-to-skin care immediately after delivery.

Part of the reason for this is that some nurses are not aware of the importance of skin-to-skin care.

Another reason is that nurses are following the steps on Flowchart 1 because that is the easiest way to provide care given the current way the room is set up and how supplies are kept.

Discussion 3.1: Developing changes

What changes in care do you think that the team could make to see if that improves care?



Reducing neonatal hypothermia at one hour:

| Change | Why do you think this will improve care? |
|--------|------------------------------------------|
| | |
| | |
| | |
| | |

Case Scenario Part 7:

One of the team members is aware of the evidence that skin-to-skin contact is beneficial for both mother and baby. She convinces everyone that it will be possible and beneficial to do this.

The team discusses how to change the order of activities after birth to ensure that skin-to-skin care happens immediately and is not interrupted. They decide to follow the new steps of care:

- 1) put the baby on the mother's chest immediately after delivery and keep the baby there while doing the other activities
- 2) dry the baby and clean his or her eyes (as per national guidelines)and cover with a dry towel
- 3) cut the cord after 1-3 minutes
- 4) encourage breastfeeding as soon as possible
- 5) leave the vitamin K and weighing until after breastfeeding has started

Now that the team has decided that they are going to use skin-to-skin care as the process to reduce hypothermia, they realize that they need to measure this.

They develop a new process measure: the percentage of babies getting skin-to-skin contact at birth for at least one hour.

Not everyone in the group is convinced that this will be feasible. Different people raise possible objections, which include:

- mothers will not want to put the baby skin-to-skin right after delivery because they are tired and because the baby is wet
- it will be hard for nurses to dry and clean the baby and cut the cord while the baby is with the mother
- if the babies do not get weighed and receive vitamin K immediately, then nurses will forget to do this later



Discussion 3.2: Testing changes to see if they are practical

How would you advise the team to plan a PDSA cycle to learn if changing the order of care is feasible or if the objections raised by some people in the team will make it hard to make this change?

| | What change will you make? | |
|-------|-------------------------------------------------------------------------------|--|
| | Who will test the change? | |
| Plan | Where will the test take place? | |
| | When will the test start and for how long will the change be tested? | |
| Do | | |
| Study | What do you want to learn from this test? | |
| Act | | |

Case Scenario Part 8:

The team decides to try using the new order of care for all babies born in a single shift and to learn:

- How do mothers feel about starting skin-to-skin immediately?
- How easy is it to provide care on the mother's chest?
- Do nurses still remember to weigh the baby and give vitamin K?

One of the nurses who is enthusiastic about this new idea volunteers to test it during her next shift. She delivers two babies. From this test, the nurse learned that:

- Both the mothers were happy to receive the baby right after delivery
- Drying the baby on the mothers' chest was more difficult than doing this in the bassinet because the towels
 and other supplies were by the bassinet and the nurse had to walk over to get them
- The nurse remembered to weigh the baby and give vitamin K because they had to be recorded on the medical record which she had to fill out before transferring the baby to the ward

At the end of the shift, members of the team who are there meet to discuss what to do next.



Discussion 3.3: What to do as you learn from PDSA cycle

| What should the team do next? |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| |
| |
| |
| |
| |
| |
| Case Scenario Part 9: |
| The team agrees that reordering the steps of care is a good idea and should keep babies warm. They feel that the way the room is currently organized makes it difficult. |
| They decide to move the supply table from the bassinet to the bedside to make it easier to care for babies on the mother's chest. |
| As a group, they go to the labour room and move the supplies closer to the labour table. |
| They try two options until they have a set-up that people think will work. |
| They then decide to test for one shift if the new organization of the room makes it easier to provide immediate care to babies while they are in skin-to-skin contact with their mother. |
| In the next shift, the nurse delivers two babies. She had to reorganize the room again after the first delivery and found that this made caring for the babies much easier. |
| Discussion 3.4: Testing changes |
| How many changes has the team in the scenario tested so far? |
| How many changes has the team in the scenario tested so far? |
| |
| |
| How many PDSA cycles have they done? |
| |
| |



The team decided to ask the nurses on duty for the next three shifts to get their feedback on the new room set-up and get their suggestions for improvement.

At the end of the three shifts, they have made a few more small changes in the room set-up and also involved the cleaning and maintenance staff so that they also know about how the room should be set up. Eight babies were born in those shifts. Six of them had normal temperatures at 60 minutes. This is much better than the baseline data.

They then hold a series of meetings for other labour room staff who have not been involved in the project to discuss the new way of working, showing them how to care for babies on the mother's chest and sharing the data showing improvement.

Other staff members start delivering babies in this way as well.

Case Scenario Summary

Staff team in this hospital decided that they wanted to improve care for mothers and babies.

They reviewed their data and used a prioritization matrix to pick two specific aims:

- a) increasing the use of uterotonic within one minute of delivery
- b) reducing neonatal hypothermia

They then formed a team to work on these aims (STEP 1).

The team used **flowchart** and **fishbone** diagram to **analyze** the problem and identify key issues that they needed to address to reach these aims. They realized that their main problems were that the flow of care after delivery led to the situation that babies did not receive skin-to-skin care immediately after delivery which led to hypothermia, and that the procedure of filling a syringe with oxytocin after delivery led to a situation that most women did not get the drug within one minute of delivery (STEP 2).

Based on their analysis, the team decides to pre-load oxytocin syringes for the mother and to change the work flow for newborn care after delivery so that skin-to-skin care can start immediately. They **tested these ideas** first during one shift to see if these are feasible and then a series of **PDSA cycles** to identify the best way to work for different nurses working at different shifts on different days (STEP 3).

They also involved all the other staff, nurses and cleaners so that they all understood the **new way of working** (STEP 4). The figures below show the progress of the team.



Figure 6: Percentage of women receiving a uterotonic within one minute and women with post-partum hemorrhage




Figure 7: Annotations show the relationship between various PDSA cycles and improvement in the indicator







Figure 8: Percentage of babies with hypothermia and percentage of babies receiving skinto-skin care







Sustaining improvement

Step 4: Learning objectives

- 1) How to embed/incorporate successful changes into your system to sustain the improvement in quality of care?
- 2) How to engage and motivate team to view QI as an important tool improving work culture across the health facility for providing better care?

Implementation:

After testing ideas and finding ones that work, you will want to implement them so that the changes are permanent and consistently applied in all situations. This involves:

- 1. Making the change the new standard process across the unit/department
- 2. Taking specific steps to prevent from slipping back to the old ways of working. (hardwiring through job descriptions, protocols, etc.)
- 3. Keeping an eye on key indicators to ensure improvement is sustained


It is also important to **build more enthusiasm** among health-care teams for quality improvement. Useful strategies for doing this include:

- Manager of the health facility should continuously encourage the health-care team to incrementally improve quality of care
- Rewarding people who are involved in QI efforts
- Give opportunities for them to share their successful work within the health facility and beyond
- Build multiple teams in the health facility so that they can learn and support each other
- The health-care team should keep higher-ups in the system informed, tell them about your success and build a case for additional resources, if required.






Improving the quality of care for mothers and newborns in health facilities **POCQI LEARNER MANUAL**




| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL |
|---------------------------------------------------------------------------------------------------------------|
| Step I Learning objectives |
| You will learn |
| How to review data to identify problemsHow to prioritize which problems to work on |
| How to form a team to work on that problemHow to write a clear 'aim statement' |
| |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 |







| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL |
|--------------------------------------------------------------------------------------------------|
| Select your team |
| SLook for volunteers who are: |
| Enthusiastic - they want to make changes |
| Involved - they are already doing the work that needs change |
| Influential - others people listen to them and they can get things done |
| |
| Step 1 Group Work Step 2A Step 28 Group Work Step 3 Group Work Step 4 |






















| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL |
|--------------------------------------------------------------------------------------------------------------------------------------------|
| Aim statement Problem: Babies are cold at one hour following birth |
| We will reduce the percentage of newborns with low temperature (<36.5 C) from 50% to <10% within 6 weeks |
| Who (which patients) - Newborn What (the outcome) - Hypothermia How much (the amount of desired |
| improvement)-from baseline rate of 53 % to <10% By when (time over which change will occur)-within 6 weeks |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 |




















































| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL | |
|---------------------------------------------------------------------------------------------------|--|
| Key tips | |
| Analysis helps to find out the root cause of problems | |
| Try to find few barriers that account for most of the problem | |
| Help the teams think about how re-organization can help with fixing the problem | |
| → Video on Pareto chart | |
| | |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 | |
| | |

| | | of care f | | and newborn | ns in healtl | h facilities | 24 |
|--------|------|--------------|---------|--------------------|--------------|--------------|--------|
| | | naly f ca | _ | and | mea | suring | |
| sure | rer | me | nt | | | | |
| | | | | ors whic e made | | | |
| c at k | t ba | aselin | ne data | and info | ormatic | on | |
| o Work | k S | Step 2A | Step 2B | Group Work | Step 3 | Group Work | Step 4 |












| Improving the quality of care for the state of the state | or mothers and newborns in health facilities POCQI LEARNER MANUAL ome indicators? | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| If you don't measure process, how will you know | → If you don't measure outcome, how will you know | |
| What led to improvement? | If improvement has occurred? | |
| Step 1 Group Work Step 2A Step 2B | Group Work Step 3 Group Work Step 4 | |


| - | oroving the quality of care for mothers and newborns in health facilities CQI LEARNER MANUAL | |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|--|
| V | Why do we need indicators? | |
| - | To measure the specific processes and outcomes | |
| → | The quantitative data can be used by teams and organizations for assessment and analysis of trend over time | |
| - | They allow us to make comparisons with other health care facilities | |
| Step 1 | Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 | |




29, Improving the quality of care for mothers and newborns in health facilities POCQI MODEL LEARNER MANUAL Qualities of a good indicator > Clear and unambiguous (teams will not confuse what is meant by a particular indicator) → Identifies a clear numerator and denominator Also important to decide > Source of data and who is collecting it > Frequency at which data would be collected 4 4 4 Step 1 Group Work Step 2A Group Work Step 3 Group Work Step 4












33 Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL **Example of good indicator** Indicator: The rate of PPH in women in the hospital → Numerator: Number of cases of PPH **Denominator:** Number of women giving birth **Source:** Labour room register in the health facility Person responsible: Delivery room nurse → Frequency: Labour room register will be reviewed monthly 4 4 Step 1 Group Work Step 2A Group Work Group Work Step 4








| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL |
|-------------------------------------------------------------------------------------------------------------------------------------|
| Key tips |
| Looking at data overtime is crucial and more frequent measurement (daily or weekly) is better than less frequent(monthly) |
| Only collect data what you are going to use |
| If possible, try to use data that is already recorded in your health facility or that will be easy to collect |
| |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 |










| 39, | |
|------------------------------------------------------------------------------------------------------|--|
| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL | |
| Step 3 Learning objectives | |
| You will learn | |
| How to come up with ideas about what to | |
| change to reach your aim how to test these changes at small scale using | |
| Plan-Do-Study-Act (PDSA) cycles | |
| | |
| | |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 | |
| | |


| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL |
|---------------------------------------------------------------------------------------------------------|
| Develop changes |
| Determine possible changes (interventions) that may lead to improvement |
| Organize changes according to importance and practicality |
| Test one change at one time |
| |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 |
| |







| S | ome categories | of changes |
|---|-----------------------------|---------------------------------------------------|
| | Category | Meaning |
| ١ | mprove knowledge or skills | Training or standards |
| E | Eliminate waste | Stop doing harmful or useless things |
| F | Reassign tasks | Change who does what |
| | Reorganize tasks | Do tasks in different order or different location |
| I | mprove patient relationship | Listen to what patients want |
| | Reduce variation | Do things to make work more standard |





































| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL |
|------------------------------------------------------------------------------------------------------|
| Key tips |
| Change ideas will improve care |
| 1. They are right idea |
| 2. Putting change in action |
| 3. Adapting it to the local context |
| → Testing changes as small PDSA cycles |
| |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 |










| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL | |
|---------------------------------------------------------------------------------------------------|--|
| Steps in QI | |
| Step 1: Identifying a problem, forming a team and writing an aim statement | |
| Step 2: Analyzing and measuring quality of care | |
| Step 3: Developing and testing changes | |
| → Step 4: Sustaining improvement | |
| | |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 | |
| | |

| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Step 4 Learning objectives |
| You will learn → how to embed successful changes into health system to sustain the improvement in quality of care |
| engage and motivate team to view QI as culture for improvement thus improving work culture across the health facility for providing better care |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 |





| | roving the quality of care for mothers and newborns in health facilities CQI LEARNER MANUAL |
|------------|---------------------------------------------------------------------------------------------|
| н | lardwiring of QI project |
| - → | Documenting the flow of the new process — the new way of doing things |
| → | Providing training on the new process |
| → | Teaching people new skills that might be required of them |
| → | Making changes to job descriptions, policies, procedures |
| → | Addressing supply and equipment issues |
| → | Assigning day-to-day ownership for the improvement and maintenance of the new process |
| → | Having senior leaders remove any barriers that might allow slippage back to the old process |
| p 1 | Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 |
| | |



| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL Tinkering vs System Change | | | l | |
|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---|--|
| Problem | Tinkering | System change | | |
| Physicians orders are illegible, causing medication errors | Chastise physicians, tell them to work harder | Computerize order entry or use standardized order sets to minimize need for hand writing | ı | |
| Oximeter alarms not set as ordered | Penalize nurses/ Sanction nurses who are non compliant | Modify alarm defaults | ı | |
| Breast milk low for premature babies | Suggest hospital to hire lactation consultants | Create process to improve efficient use of breast pumps | | |

| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL Useful tips to sustainspread |
|---------------------------------------------------------------------------------------------------------------------------------|
| Successful team involves new members in hospital to join; help forms multiple teams |
| Spread best practices among colleagues in the hospital |
| Keep higher ups informed: Hospital team informs MS/ Director and they inform the district/state |
| System rewards successful teams – Certificates, Ql jewel of month |
| System provides opportunities to successful teams to disseminate and share their success widely |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 |

Improving the quality of care for mothers and newborns in health facilities **POCQI LEARNER MANUAL**

| 61 | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Improving the quality of care for mothers and newborns in health facilities POCQI LEARNER MANUAL | |
| Key to success | |
| → Local champion: A team leader who respects others, is a keen listener, uses collective wisdom of the team rather than being directive, identifies & harnesses key strengthens of members, sets example | |
| Personal aspirations: Remember most of us entered medical profession with aim to alleviate sufferings and help society | |
| → Positive attitude: Being positive and prepared to address barriers, challenges which prevent us achieving this aim | |
| Step 1 Group Work Step 2A Step 2B Group Work Step 3 Group Work Step 4 | |
| | |



SECTION 3QI Project Template and Review Sheet



Quality Improvement Project Template

STEP: 1

Problem, team and aim statement

What problem do you want to solve? Who should be on your team? Member names and designation: Team leader: Recorder: Date of first team meeting: What is your aim statement?



STEP: 2

Analysing the problem and measuring quality of care

| What tools will you use for the analysis? | |
|--------------------------------------------------|--------------------|
| What information do you want from each tool that | t you plan to use? |
| What measures will you use? | |
| Process Measure: | |
| Numerator: | |
| Denominator: | |
| | |
| Outcome Measure: | |
| Numerator: | |
| Denominator: | |
| How will you collect the data? | |
| Process measure: | |
| Person responsible for data collection: | |
| What data sources will you use? | |
| What baseline data will you collect? | |
| How frequently will you collect and review data? | |
| Outcome measure: | |
| Person responsible for data collection: | |
| What data sources will you use? | |
| What baseline data will you collect? | |
| How frequently will you collect and review data? | |

A simple ms. excel file is provided in the USB flash drive for analyzing data and making time-series charts (run charts).



STEP: 3

Developing and testing changes

Develop Changes:

What changes do you think will help solve the problem and why do you think it will improve care?

| Change | Why do you think it will improve care? |
|--------|----------------------------------------|
| | |
| | |
| | |

Test changes: Planning initial PDSA cycles

| PDSA cycle 1 | | |
|--------------|-------------------------------------------------------------------------------|--|
| | Change to be tested | |
| | Who will test? (if this person is not on the QI team, he/she should be added) | |
| Plan | Over how much time will the test be done? | |
| | When will it take place? | |
| | What will you measure? | |
| | What do you predict will happen? | |
| Do | | |
| Study | When will the team meet to review? | |
| Act | | |



| PDSA cycle | e 2 | |
|------------|-------------------------------------------------------------------------------|--|
| | Change to be tested | |
| | Who will test? (if this person is not on the QI team, he/she should be added) | |
| Plan | Over how much time will the test be done? | |
| | When will it take place? | |
| | What will you measure? | |
| | What do you predict will happen? | |
| Do | | |
| Study | When will the team meet to review? | |
| Act | | |

| ~) |
|------------|
| |

Sustaining Improvement



Quality Improvement Project Review Sheet

| STEP: 1 | ② |
|---------|----------|
|---------|----------|

Identifying a problem, forming a team and writing an aim statement

Why is this a good aim?

| Can you get results quickly? | |
|----------------------------------------------------------------------------------------|--|
| What extra resources do you think will be required? | |
| How important is the aim to the QI team - has the team used the prioritization matrix? | |
| Who else will think the aim is important? | |
| How can you motivate others to support this initiative? | |

Why is this the right team? Do you have people on the team who are:

| Enthusiastic about fixing this problem? | |
|------------------------------------------------------|--|
| Involved in delivering care related to this problem? | |
| Influential enough to get more people involved? | |

STEP: 2

Analysing the problem and measuring quality of care

Why is this the right analysis plan?

| Will the tools you have chosen help you to identify the right changes? | |
|-----------------------------------------------------------------------------------|--|
| Do you have people on the team who can analyse what happens at the patient level? | |



Why is this the right measurement plan?

| How difficult will it be to collect the data? | |
|------------------------------------------------------|--|
| Easy to measure valid data? | |
| Are these new data variables? | |
| Can you review these data frequently? | |
| What will be the plan to share and analyse the data? | |

| STEP: 3 | ② |
|---------|----------|
|---------|----------|

Developing and testing changes

Will these changes address the root cause of the problem?

| How do the changes you are planning address what you found in your analysis? | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| If all of your changes are related to education or management directives, how sure are you that lack of information or lack of direction is the root cause? | |

How easy will it be to put these changes into action?

| Were the staff who will have to make these changes involved in picking them? | |
|------------------------------------------------------------------------------|--|
| Will you need to change anything else to test these changes? | |

Are you making sure that you can learn as much as possible from your tests?

| Is there any way of doing the testing faster? | |
|-----------------------------------------------|--|
| What will you do if the change does not work? | |



STEP: 4

Sustaining Improvement

| How should we get other people involved? | |
|---------------------------------------------------------------|--|
| How can the organization and its leaders promote improvement? | |





Plan of Action for the team

By now you must have ideas on how to practice QI projects in your own hospital/health facility. As hospital team, please prepare a plan of action to undertake upon returning to your duty station. Please use the table to prepare such a plan and complete this exercise in 15 minutes.

Be prepared to share the activities you have identified in the plenary feedback session (15 minutes).

| Date of Planning | Activity | Why are we doing this/what output is expected? | Responsible Person | By when will this be done? | Status (Not started, In progress, Completed) | Comments; Extra resources needed |
|---------------------|----------|---------------------------------------------------------|-----------------------|----------------------------------|-------------------------------------------------------|-------------------------------------------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



Knowledge Assessment

Select ONE right answer for each of the following questions:

- 1. When starting your first quality improvement project, you will aim to do which of the following?
 - a. Fix all the problems
 - b. Do whatever the facility in-charge decides
 - c. Select a single and easy problem for the first QI project
 - d. Select a challenging problem to solve
- 2. Who should decide at a facility what needs to be achieved in a QI project?
 - a. The facility in-charge will order what needs to be achieved
 - b. The medical officer will decide
 - c. QI team members get together and decide
 - d. QI coach tells staff what to do
- 3. A quality improvement team should have (tick which one is NOT correct)
 - a. Staff from various cadres
 - b. Health workers who carry out the processes that will need to be changed
 - c. A manager or leader of facility
 - d. A team leader who should always be the facility in-charge
- 4. To understand all the steps of a process, which problem analysis tool will be helpful to use?
 - a. Five whys
 - b. Fishbone
 - c. Process flowchart
 - d. Pareto chart
- 5. To understand the multiple causes of a problem, which tool will be helpful to use?
 - a. Five whys
 - b. Fishbone
 - c. Process flowchart
 - d. Pareto chart



6. To understand in depth the underlying causes of a problem, which tool will be helpful to use?

- a. Five whys
- b. Fishbone
- c. Process flowchart
- d. Pareto chart

7. Measurement is important for (tick which is NOT correct)

- a. Identifying barriers that may be stopping us from getting results
- b. Understanding whether there is any improvement or not
- c. Judging which health facility is doing badly so that action can be taken against it
- d. Planning what to do next in a QI project

8. PDSA is:

- a. Plan, Do, Say, Act
- b. Plan, Do, Study, Act
- c. Program, Do, Study, Accurate
- d. Program, Do, Study, Act

9. Why is it important to test a new change idea?

- a. To understand whether the change is working or not
- b. To increase acceptability among the health workers involved in the change
- c. To prevent large cost of failure
- d. All of the above

10. In a health-care setting, there is always scope for improvement. Yet not much effort is made for improvement. Which of the following is NOT the reason for this?

- a. At present, there is limited knowledge in the health system on how to systematically improve quality of care
- b. It may be difficult to identify changes that can be made and will lead to improvement
- c. Doing better always requires more resources such as beds, equipment, supplies and human resources.
- d. It requires soft skills to motivate people to participate in improvement activities




- 11. A team of nurses and doctors in a newborn care unit have found that mothers of preterm babies can provide more expressed breast milk if they are encouraged to come to the newborn care unit within the first day of birth of baby and handle the baby. As doctor-in-charge of another newborn care unit after hearing this success story, what should you do?
 - a. Implement this practice in your unit
 - b. Cannot do this in your unit as mothers do not maintain hygiene and it can result in increased incidence of sepsis
 - c. Do nothing. It will not work because this is a different set up
 - d. Test this idea in your unit by doing it for a small number of babies over the next few days and collect data how it affects feeding practices and sepsis and see what nurses think
- 12. A newborn care doctor wants to decrease the time it takes to get an X-ray done for a baby with respiratory distress. How can he/she think of what changes will lead to achieving this objective?
 - a. By buying and placing an X-ray machine within the unit
 - b. By recruiting and placing an X-ray technician at the unit
 - c. By outsourcing X-ray services
 - d. By first understanding various steps (processes) that are needed to get the X-ray done
- 13. Over the last few years, fewer users are forgetting their ATM card in the ATM machine. What is the reason for this?
 - a. ATMs now have posters reminding people not to leave behind their ATM card
 - b. Banks send an SMS after money withdrawal, which reminds them to collect the ATM card
 - c. You get the money after you take out the card. The steps in money withdrawal from ATMs have been revised to ensure that users do not forget their card
 - d. Average bank balances have improved over last few years, which makes people more alert
- 14. Newborn care units in three of ten hospitals are reporting high infection rates. The state child coordinator passes an order that all doctors and nurses should wash hands as per guidelines. Is this going to decrease infection rates significantly?
 - a. Yes, orders work best and doctors and nurses will start washing hands consistently
 - b. This is not an effective way of changing behaviour as frontline health-care workers are not involved
 - c. No, because health-care workers lack the knowledge and skill to do hand washing
 - d. Yes, because the guidelines are evidence based



- 15. The doctor-in-charge of a newborn care unit starts to monitor infection rates. What type of measure is incidence of infection?
 - a. Outcome measure
 - b. Process measure
 - c. Balance measure
 - d. Ranking measure
- 16. The doctor is also recording proportion of health-care workers washing hands. What type of measure is compliance to hand-washing?
 - a. Outcome measure
 - b. Process measure
 - c. Balance measure
 - d. Ranking measure
- 17. The aim statement written by the doctor for this improvement project is "To reduce the rate of hospital-acquired infection in my unit". What is missing in this statement?
 - a. Does not specify how much reduction
 - b. Does not specify the timeline by when infection will be reduced
 - c. Does not specify in which patients
 - d. All of the above
- 18. The data collected for infection rates are being plotted in the graph shown below.

What is this type of chart called?

- a. Time series chart
- b. Frequency polygon
- c. Incidence chart
- d. Histogram





- 19. You notice in your unit register that despite a recommendation of routine administration of vitamin K to all neonates at birth, 20% neonates do not get the dose. What will you do next?
 - a. Tell everyone to fill a syringe and keep it as a part of resuscitation tray
 - b. Hang a poster near the resuscitation trolley
 - c. Tell the nurse in-charge to review the patient file before discharging the baby
 - d. Form a team and get together to analyse the problem
- 20. The district health officer forms quality improvement teams in newborn care unit at one health facility. Whose presence is least likely to be beneficial in the QI team of facility?
 - a. Nurses from the unit
 - b. Doctors working in the unit
 - c. Hospital administrator
 - d. A senior specialist from a tertiary health-care facility



Further Reading

Websites:

All India Institute of Medical Sciences Quality Improvement: www.aiimsqi.org

USAID ASSIST Project: www.usaid-assist.org

Institute for Healthcare Improvement: www.ihi.org

The International Society for Quality in Health Care: http://www.isqua.org/

HealthQual International: http://www.healthqual.org/

NHS Scotland Quality Improvement Hub: http://www.qihub.scot.nhs.uk/

Publications:

Langley, Moen, Nolan, Nolan, Norman, Provost. The Improvement Guide: A Practical Approach to Enhancing Organizational Performance. 2nd edition, Jossey-Bass Pub., San Francisco, 2009

Provost, Murray. The Health Care Data Guide: Learning from Data for Improvement. 1st Edition. Jossey-Bass Pub., San Francisco, 2011.

Singh R, Singh M, Jha R, Sharma P, Livesley N. 2017. Improving Quality in Healthcare: A point of care case study. Technical Report. Published by the USAID ASSIST Project. Bethesda, MD: University Research Co., LLC (URC).

E-Learning QI course:

https://www.usaidassist.org/resources/improving-health-care-quality-elearning-course

Videos:

A quality improvement initiative on breastfeeding practices among mothers of infants admitted to NICU. Available at: https://www.youtube.com/watch?v=XOEhoU2DJ6g

Quality improvement initiative in kangaroo mother care practices in NICU at AIIMS, New Delhi. Available at :https://www.Youtube.Com/watch?V=gondskp6mna

NICU quality initiative to improve admission temperature of preterm neonates < 32 weeks gestation. Available at :https://www.Youtube.Com/watch?V=knc9wokjnoo

A quality improvement initiative in NICU -improving the life of radiant warmer temperature probe involving mothers. Available at: https://www.Youtube.Com/watch?V=jumhywkrkl

Quality Improvement Initiatives in the Government of India's RMNCH+A Strategy: Lessons from Chamba, Himachal Pradesh. Available at: https://www.usaidassist.org/resources/quality-improvement-initiatives-government-india%E2%80%99s-rmncha-strategy-lessons-chamba-himachal

Common Pitfalls for New Improvement Teams: A Story from New Delhi, India. Available at: https://www.usaidassist.org/resources/common-pitfalls-new-improvement-teams-story-new-delhi-india



Feedback Form

Thank you for your participation in this workshop!

Your feedback and suggestions will help us to improve future training sessions.

At the end of the workshop, please complete and return this form to one of the facilitators.

| Sl. No | | Strongly disagree | Disagree | Neutral | Agree | Strongly Agree |
|--------|-------------------------------------------------------------------|----------------------|----------|---------|-------|-------------------|
| | | 1 | 2 | 3 | 4 | 6 |
| 1. | This training is relevant to my practice | | | | | |
| 2. | I feel confident about being able to carry out this QI Project | | | | | |
| 3. | I will recommend this training to others | | | | | |
| 4. | It was easy to understand | | | | | |
| 5. | I would like continued support to carry out the QI project | | | | | |

| Comments and Suggestions for Improvement | | | | | | |
|------------------------------------------|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |







SECTION 5

Successful case studies on QI





A Quality Improvement Initiative

Breast feeding practices among mothers of infants admitted in



USAID ASSIST Project
Applying Science to Strengthen
and Improve Systems

Neonatal Intensive Care Unit

All India Institute of Medical Sciences, New Delhi

Background

- Breast milk is unquestionably the best milk for a baby.
- ideally all babies should get mother's milk from day 1 till 6 months (WHO recommendation)
- Late expression of milk ultimately leads inadequate milk resulting in lactation failure
- Formula feeding has been identified as one of the risk factors for the development of Necrotizing Enterocolitis (NEC) in low birth weight sick neonates
- Practice in Neonatal Intensive Care unit at AIIMS:
 - Neonates are fed with other mother milk (with consent) or formula feed intermittently till the time their mothers can produce sufficient own milk for exclusive maternal milk intake
 - This period of formula /other mother milk feeding may vary from 6-7 days after birth.

Problem Identified

- Mothers whose babies are admitted in NICU start expressing milk only after day 3
- The frequency of milk expression in these mothers is limited to two to three times in a day including the night expression of breast milk)
- "This problem was bigger than we thought"


Aim

To increase the amount of breast milk intake in admitted neonates from 5% to 30% over six weeks

Baseline Data Collection

- To evaluate if the mother has received antenatal counseling related to BF
- To evaluate if the mother received post natal counseling related to BF issues
- Identified barriers related to early expression of breast milk/BF as reported by mother

| Mother | D1 | D2 | D3 | D4 | D5 | D6 |
|--------|------|------|------|------|------|------|
| | (mL) | (mL) | (mL) | (mL) | (mL) | (mL) |
| M1 | 0 | 0 | 0 | 20 | 50 | 100 |
| M2 | 0 | 0 | 0 | 15 | 35 | 110 |
| М3 | 0 | 0 | | 20 | 60 | 75 |
| M4 | 0 | 0 | 15 | 20 | 40 | 133 |
| M5 | 0 | 0 | 10 | 50 | 75 | 100 |
| М6 | | 0 | 30 | 40 | 80 | 235 |
| М7 | 0 | 0 | 10 | 35 | 68 | 90 |
| M8 | 0 | 0 | 0 | 10 | 50 | 95 |




Day 6 Milk intake (number of feeds) of admitted neonates Own Mothers Milk Formula Feeding Other Mothers Milk Formula Feeding Other Mothers Milk Mother 1 Mother 2 Mother 3 Mother 4 Mother 5 Mother 6 Mother 7 Mother 8


Postnatal - feeding counseling

- Current status of counseling prior to implementation
 - Two lactation counsellers are posted in postnatal and their target is only the mother newborn dyads in postnatal wards
 - No separate counseling of mothers whose infants are admitted in NICU

Root cause analysis (Fish bone)




PDSA Cycle




Results

- Frequency of expression of milk including night also increased from 2-3 times to 5-6 times/day
- Amount of EBM increased by 50%
- Intake of breast milk by neonates increased by D7 from 1/8 (12.5%) to 5/6 (83%).

Proportion of neonates fed with own mothers milk



Quantity of breast milk expressed on day 1



Quantity of breast milk expressed on day 7





Conclusions

- Expressed breast milk (EBM) output increased following postnatal counseling
- Early and frequent expression day and night helped mother to express more milk
- These two changes resulted in early substitution of other mothers milk and formula milk by own mother's milk





Establishing Skin to Skin Contact as a standard of care in Labour ward

K Aparna Sharma, Seema Singhal, Rajesh Kumari, Philomina Thomas, L. Levis Murry, Shilin Sunny, Suman Dept of Obstetrics and Gynaecology and College of Nursing

All India Institute of Medical Sciences, New Delhi



To establish mother to child skin to skin contact immediately after delivery and before clamping the cord as a standard procedure for low risk mothers admitted to the Labour Room at AIIMS, New Delhi







Background

- Definition of Skin to Skin Contact (SSC): Placing the naked baby, covered across the back with a warm blanket, prone on the mother's bare chest.
- Advantages: SSC through sensory stimuli such as touch, warmth, and odor is a powerful vagal stimulant. This releases maternal oxytocin, which provides warmth, decreases maternal anxiety and improves parenting behaviour.


Moore et al . Cochrane Systematic Review, 2012







Progress in implementation of SSC at Labour Room , AllMS between 24 August 2015 and 19 September 2015 as measured by percentage of eligible mothers (normal baby cases) adopting SSC



Team members and role

Staff nurses/Doctors on Duty

- Counsel in labor regarding SSC
- To encourage mother to perform SSC
- To assist the SSC on delivery table
- To maintain SSC in post partum
- To document the SSC

Student Nurses:


Follow up of mothers in PNC

Administrator:


- To sensitize staff for SSC (benefits and technique)
- To standardize the SSC
- Monitoring (process standardization, Documentation)
- Trouble shooting
- Analysis




Root Cause analysis: Flabbone Followup Followup Entries incomplete Responsibility for entry undefined Changing shifts Cransunderperformance During night Compliance Standardisation of SSC Standardisation of SSC Compliance



AIM: To ensure 100% Documentation and Validation





AIM: To ensure standardization of SSC

Conclusion: Skin to Skin Contact established in 100% cases in 2 weeks

Next Steps.....

- SSC as a standard of care for all eligible
- Planned learning sessions and frequent monitoring to establish and maintain SSC
- Structured patient counselling during antenatal
- Target the ultimate aim of establishing exclusive breast feeding at the time of discharge.

Latest situation

- SSC has become a standard practice in the Labour Room at AIIMS for all normal babies.
- Periodic follow-up studies have also indicated that SSC has helped in ensuring 100% exclusive breast feeding at the time of discharge. Breast feeding is started between 30 and 60 minutes of birth.

Message

Planned Group effort has helped to bringing about a highly useful change in the Labour Room at AlIMS



Continued implementation

A NICU quality initiative to improve admission temperature of preterm neonates < 32 weeks gestation

Division of Neonatology, All India Institute of Medical Sciences, New Delhi Sindhu S, Jeeva Sankar M, Ramesh Agarwal , Ashok Deorari, Vinod Paul

Baseline assessment

Background

- Preterm neonates are prone to very rapid heat loss due to their higher body surface area, immature skin and poor sub cutaneous fat
- morbidity like hypoglycemia, respiratory distress, Hypothermia is associated with increased more oxygen needs, metabolic acidosis.
 - increases by 11% and odds of death increases temperature the odds of late onset sepsis For every 1 C decrease in admission

Problem identified

Among 8 neonates < 32 weeks gestation born in admission temperature in normal range 36.5-37.5 C temperature was 35.5 C and only 12.5% had the year 2015, whose charts were reviewed retrospectively, the mean admission

SMART AIM


To achieve an admission temperature of period of 6 months by implementing a $36.5-37.5 \text{ C in} \ge 80 \% \text{ of babies} < 32$ weeks gestation born at AIIMS over a education and multiple PDSA cycles golden hour bundle" through staff

Golden hour bundle focuses on thermoregulation, delayed cord clamping and gentle ventilation



Conclusion

temperature of neonates < 32 weeks gestation. Admission temperature of 36.5-37.5 C was noted in 28% of neonates at baseline and increased mplementation of golden hour bundle led to improved admission to 35% after intervention.







Quality improvement initiative in Kangaroo Mother Care Practices in NICU





Background

- Kangaroo mother care (KMC) is a safe and alternative method of providing care for low birth weight (LBW) babies. This includes early, continuous and prolonged skin to skin contact of baby with the mother or any caregiver
- Ideally KMC should be practiced uninterruptedly for 24 hours/day (WHO recommendation)
- Our unit practice is to give KMC for minimum an hour and gradually increased to as long as possible up to 24 hours, as any session of KMC lasting less than an hour could be stressful for the baby
- Benefits of KMC include
 - ☐ Increased breast feeding rates
 - ☐ Better thermal control
 - ☐ Less morbidity and mortality and
 - ☐ Early discharge from neonatal intensive care unit

Status of KMC in our Nurserv

KMC is initiated for all preterm and LBW babies as soon as they become hemo-dynamically stable and for initially hemo-dynamically unstable babies, on ventilatory support or having shock, receiving ionotropes etc., it gets delayed for days to weeks before their condition allows for the


Aim

■ To increase the durations of KMC practice of LBW infants from the current baseline value (current average 3 hours/day) by 3 hours (minimum 6hours duration/day) our

Baseline Data Collection Plan

- Baseline data collection of eligible babies who were initiated KMC during the study period was collected in a predesigned performa which included:
 - ☐ Demographic profile related to mother and baby
 - ☐ The weight and gestational age at birth of the baby
 - ☐ Age at which KMC was initiated for the baby
 - ☐ Average duration of KMC per day
 - ☐ Questionnaires for mother for identifying barriers from
- Team member: Nurse Educator, 4 Nurses, Resident doctor, Faculty Incharge NICU, Mothers

Problem analysis



Main barriers of KMC

- Lack of support from health care team
- No proper counseling, lack of privacy for mothers.
- Lack of accountability of assigned Nurse.
- Lack of initiative by other family members for KMC (lack of knowledge, support to the mother, lack of confidence)
- Lack of knowledge and confidence among the mothers and family members in providing KMC due to absence of counseling sessions related to KMC
- Mothers spending more time in milk expression and feeding the baby.

PDSA Cycles

ACT

- Unit policy develope
 Dissemination of
- Apply on large scale

Apply on large scale Analyze data to study the duration of KMC fo each baby and who is giving KMC

Do

Comprehensive postnatal counselling (CNPC): PDSA cycle week 1

- By a team of 4 dedicated nursing staff working in NICU in different shifts, which includes
- Showing video shows on KMC for the mother and 2-3 family members, explaining benefits of KMC, duration, involvement of family members in KMC in 1 to 1 basis
- Motivating mothers and family for increasing the duration of
- Motivating other family members for participating providing KMC where mother is the sole provider for KMC

Comprehensive Postnatal Counseling





PDSA cycle week 2

- Encouraging nurses for ensuring KMC for at least 2 hours per shift
- Felicitation and provision of certificate of appreciation to staff nurses responsible for ensuring maximum KMC hours in their shifts on weekly basis in periodic meetings.
- Promoting supportive environment in NICU for KMC.
- Mothers and the family members involved in KMC were also encouraged and acknowledged for doing KMC.




PDSA cycle week 3

Round the clock availability of nursing staff for papies on KMC with some kind of respiratory support like oxygen therapy. This decreased anxiety and fear of KMC provider due to occasional desaturation at the time of KMC Resulting in batter compliance

Average KMC hours/day



70% of our mothers are doing KMC for more than 5 hours



Average KMC hours/day



Longest hour of KMC achieved in



Steps for sustaining KMC in post implementation phase

- Allowing father and other close relatives for doing KMC even in night
- Assigning responsibility of assigned nurse for ensuring KMC at least 2 hours in her shift
- Making it as a part of doctors daily treatment order. Continuing on going CPNC in the unit.
- Constant positive re enforcement and encouragement for KMC in the unit by HCP

Lessons Learned

- The simple measures like active participation of family members and continuous positive reinforcement from treating team resulted improving current existing KMC duration significantly.
- This will ultimately result decreasing infection rate, batter growth of preterm babies and early discharge



Conclusion

- Average duration of KMC increased from 3hours to 6 hours within a span of 8 weeks
- Almost all mothers were doing KMC>6 Hours
- Longest duration of KMC is up to 16hour/day Active involvement of mother as well as all other relative for KMC resulted in sustained increased duration of KMC practice implementation





A Quality Improvement Initiative

Breast feeding practices among mothers of infants admitted in



USAID ASSIST Project
Applying Science to Strengthen
and Improve Systems



All India Institute of Medical Sciences, New Delhi

Background

- Breast milk is unquestionably the best milk for a baby.
- ideally all babies should get mother's milk from day 1 till 6 months (WHO recommendation)
- Late expression of milk ultimately leads tinadequate milk resulting in lactation failure
- Formula feeding has been identified as one of the risk factors for the development of Necrotizing Enterocolitis (NEC) in low birth weight sick neonates
- Practice in Neonatal Intensive Care unit at AIIMS:
 - Neonates are fed with other mother milk (with consent) or formula feed intermittently till the time their mothers can produce sufficient own milk for exclusive maternal milk intake
 - This period of formula /other mother milk feeding may vary from 6-7 days after birth.

Problem Identified

- Mothers whose babies are admitted in NICU start expressing milk only after day 3
- The frequency of milk expression in these mothers is limited to two to three times in a day including the night expression of breast milk)
- "This problem was bigger than we thought"


Aim

To increase the amount of breast milk intake in admitted neonates from 5% to 30% over six weeks

Baseline Data Collection

- To evaluate if the mother has received antenatal counseling related to BF
- To evaluate if the mother received post natal counseling related to BF issues
- Identified barriers related to early expression of breast milk/BF as reported by mother

| Mother | D1 (mL) | D2 (mL) | D3 (mL) | D4 (mL) | D5 (mL) | D6 (mL) |
|--------|------------|------------|------------|------------|------------|------------|
| M1 | 0 | 0 | 0 | 20 | 50 | 100 |
| M2 | 0 | | | 15 | 35 | 110 |
| М3 | 0 | 0 | 2 | 20 | 60 | 75 |
| M4 | 0 | 0 | 15 | 20 | 40 | 133 |
| M5 | 0 | 0 | 10 | 50 | 75 | 100 |
| М6 | | 0 | 30 | 40 | 80 | 235 |
| М7 | 0 | 0 | 10 | 35 | 68 | 90 |
| М8 | 0 | 0 | 0 | 10 | 50 | 95 |



Day 6 Milk Intake (number of feeds) of admitted neonates Own Mothers Milk Formula Feeding Other Mothers Milk Formula Feeding Other Mothers Milk Mother 1 Mother 2 Mother 3 Mother 4 Mother 5 Mother 6 Mother 7 Mother 8


Postnatal - feeding counseling

- Current status of counseling prior to implementation
 - Two lactation counsellers are posted in postnatal and their target is only the mother newborn dyads in postnatal wards
 - No separate counseling of mothers whose infants are admitted in NICU

Root cause analysis (Fish bone)




PDSA Cycle




Results

- Frequency of expression of milk including night also increased from 2-3 times to 5-6 times/day
- Amount of EBM increased by 50%
- Intake of breast milk by neonates increased by D7 from 1/8 (12.5%) to 5/6 (83%).

Proportion of neonates fed with own mothers milk



Quantity of breast milk expressed on day 1



Quantity of breast milk expressed on day 7





Conclusions

- Expressed breast milk (EBM) output increased following postnatal counseling
- Early and frequent expression day and night helped mother to express more milk
- These two changes resulted in early substitution of other mothers milk and formula milk by own mother's milk





A Quality Improvement Initiative in NICU



Improving the life of radiant warmer temperature probe **Involving mothers**

All India Institute of Medical Sciences, New Delhi

Background

Radiant warmer (open care system)

- Provides warm micro-environment to maintain stable body temperature
- Especially essential in very low birth weight babies using servo or manual mode of heating
- Application of temperature probe on the skin of the baby helpful in number of ways
 - •Servo mode: Temperature probe plays a crucial role in controlling heater output as per baby's temperature
 - •Manual mode: Helps in monitoring baby's temperature
- Temperature probe is delicate, likely to break if not handled carefully and a costly accessory (INR
- Dislodgment of probe was reported as a balancing outcome while promoting Kangaroo mother care

Problem Identified

The frequent breakage of radiant warmer temperature probe in NICU for babies undergoing

Baseline life of the probe was reported to be 10 days.

Frequent breakage of probe was adding to the cost factor involved in newborn care

Team Members for QI

Nurse Educator, 2 nurses, Resident doctor and mothers


Aim

To increase the life of the temperature probe by 50% in 8 weeks by reducing the breakage of the temperature probe in NICU.


Baseline Data Collection

Data collection related to breakage of the probe in 3 radiant warmers over 2 weeks time revealed the average life of the probe to be 9+ 5 days

PDSA Cycles



Root cause analysis (Fish bone)



Identified causes

- ·Unsupervised handling of baby and the temperature probe by mothers and nurses
- ·Lack of knowledge of nursing personnel Faulty technique used for removing the temperature probe (pulling out the delicate portion of the probe). Attitude
- a. Carelessness on the part of nursing personnel.
- b. Unsupervised handling of the probe by the mothers.
- No documentation
- a. Non-availability of register/ records.
- b. Undefined responsibility for record maintenance.
- c. Missing validation.
- d. Lack of accountability of nurses.

PDSA Cycle 1

- Sensitization of nurses through a refreshers' course
- Supervisory check of probe handling of nurses, by the sister in-charge of NICU.
- Documentation of the temperature probe breakage in temperature probe maintenance register by the nurse educator and Sister in-charge (date of issue of probe, date of breakage and the number of days probe remained functional).
- Responsibility and accountability among the nursing personnel

PDSA Cycle 2


- Mothers' teaching promoted by the assigned nurse at least 3 times during the baby's stay in NICU about the handling of probe and detaching it from the side panel of radiant warmer.
- Supervised handling of mother by the assigned

Sensitisation of mothers by nursing staff





Life of temperature probe (days) before and after QI



conclusions

This QI initiative involving mothers as team member improved the life span of probes nearly ten times. Parents involvement in adding value to context specific care in NICU need further evaluation.





Reducing General Anaesthesia Waiting Area Time In Eye OT by 87%: R.P. Centre QI Initiative



All India Institute of Medical Sciences, New Delhi

BACKGROUND

Only 1 case is operated in single general anaesthesia (GA) OT at any time, but a <u>large</u> number of children are present in GA waiting area. This leads to unnecessary crowding, chaos, with many patients sitting on floor! Moreover, there is difficulty in coordination, increased risk of infection, and prolonged long fasting period for small babies. It adds to the anxiety of child and attendant.

ΔΤΜ


To reduce average waiting time in GA (general anaesthesia) waiting area for admitted patients by 50% in 4 weeks in a single retina unit eye operation theatre of Dr R.P. Centre, AIIMS.

DATA COLLECTED

- Time Junior Resident (JR) calls to ward
- Time patient moves out of ward
- Time patient reports to OT reception
- Time patient seated in GA waiting area
- Time patient shifted for surgery
- Time patient shifted out after surgery



BASELINE FLOWCHART & QUALITY ISSUES



- QI Needed QI Done
- All 8/8 patients called before 8:30 AM
- Of these 6/8 patients called before 8 AM !! OT team comes at 8:30 AM
- 2 patients cancelled after 5 hours of waiting in OT
- For a 5 min intravitreal injection, an infected case waited 6.30 hrs
- Average Waiting Time: 221 min (~3½ hrs)
- Maximum Waiting Time: 390m (6½ hrs)
- WAITING TIME = Time of entry to OT reception to shifting for surgery

QUALITY IMPROVEMENT (QI) PHASE I




- QI Needed
- Only single JR will call ward prevents multiple calls
- Do not call patient from ward before 8AM, as OT does not start till 8:30
- Call ward for 1st & 2nd case at 8AM to shift to OT [In case 1st case cancelled, 2nd should be ready]
- \blacksquare 3rd case call when 1st case comes out after surgery and so on ...
- JR will physically escort cancelled patient out of OT No cancelled patient needs to wait

QUALITY IMPROVEMENT (QI) PHASE 2




- andad
- PAC clearance ensured for all patients previous day
- Cases informed to NICU previous day by email > No morning NICU calls
- Only one patient called by JR at 8AM
- Sister keeps patients ready in OT clothes at 8AM
- Sister advises patients to take stairs, to reach OT faster
- JR checks after 10 min in OT reception, brings patient inside
 - JR calls second case when: 1st case surgery starts (opsite cut) / Bilateral surgery when 2nd eye surgery starts / Multipart surgery, last part starts

RESULTS



Average Waiting Time Reduced by 87% [221min (3½hr) → 29min(< ½hr) max



Maximum Waiting Time Reduced by 87% [390 min (6½ hr) \rightarrow 52 min (<1 hr)

Conclusions: QI Significantly Reduced GA Waiting Area Times and Single JR Could Sustain QI Changes

Content: Dr. Rajendra Prasad Centre for Ophthalmic Sciences, AIIMS



